

Installing audio plugins

IMPORTANT FOR VST INSTALLATIONS: If you deploy plugins as a subdirectory of your VST2 directory, the subdirectory should contain substring 'lsp-plugins'. Otherwise plugins won't find the VST2 core library. Please notice that '~' means user's home directory.

1. 1. For Linux/FreeBSD

The usual directories for LADSPA are:

- * /usr/lib/ladspa
- * /usr/local/lib/ladspa
- * /usr/lib64/ladspa
- * /usr/local/lib64/ladspa
- * ~/.ladspa

The usual directories for LV2 are:

- * /usr/lib/lv2
- * /usr/local/lib/lv2
- * /usr/lib64/lv2
- * /usr/local/lib64/lv2
- * ~/.lv2

The usual directories for LinuxVST are:

- * /usr/lib/vst
- * /usr/local/lib/vst
- * /usr/lib64/vst
- * /usr/local/lib64/vst
- * ~/.lxvst
- * ~/.vst

The usual directories for JACK core library are:

- * /usr/lib
- * /usr/local/lib
- * /lib
- * /usr/lib64
- * /usr/local/lib64
- * /lib64

The usual directories for JACK binaries are:

* /usr/bin

* /usr/local/bin

* /bin

* /usr/sbin

* /usr/local/sbin

* /sbin

The usual directories for CLAP are:

* /usr/lib/clap

* /usr/local/lib/clap

* /usr/lib64/clap

* /usr/local/lib64/clap

* ~/.clap

Revision #3

Created 2026-04-01 17:15:26 CEST by Philip

Updated 2026-04-13 19:23:43 CEST by Philip